


Bordi



BT - Bordo Tela **BS** - Bordo Schiuma **BG** - Bordo Gomma

Art.:

Form:

D1:

D2:

D3:

D4:

H:

Onde:

Cancella filtri

Foto	Art.	Form	D1	D2	D3	D4	H	Onde	Prodotto
	BS 55 (NEW)	0	54	50.75	44	39.5	2.75	1	vai
	BS 61 (NEW)	0	61.5	58	48	41	3	1	vai
	BT 62	2	62	58	50	43	1.25	2	vai
	BS 75	0	74.5	70.3	57	51	3	1	vai
	BS 80	0	78	72.3	62	54	3	1	vai
	BS 80.1	0	82	73	64	55	3.5	1	vai
	BS 87	0	82	74	63.5	56	3.2	1	vai
	BT 87	0	83.5	76.5	61	54	3	1	vai
	BT 101	0	95	87	72	65	3.1	1	vai
	BS 101	0	96	86	72	64	4.7	1	vai
	BG 101	0	96.5	87.5	70	64	4.2	1	vai
	BT 100.1	2	96.5	89	72	64	3.25	2	vai
	BT 100	0	97	89.5	74	65	3.5	1	vai
	BS 100	1	101	90.5	74	67	4	1	vai
	BT 106	0	106	101.5	92	88	6	1	vai
	BS 110	0	109	100.5	88	78	3.5	1	vai

Foto	Art.	Form	D1	D2	D3	D4	H	Onde	Prodotto
	BG 120	0	115	105.5	93	85	3.25	1	vai
	BT 120	0	115	108	93	84	3.5	1	vai
	BT 120.1	1	115	106.8	92	84	4	1	vai
	BS 120	0	115.5	107	93.5	85.5	4.2	1	vai
	BG 130	0	122	111	94	87	4.5	1	vai
	BT 130.1	0	123	116	94	85	5.5	1	vai
	BS 130	0	124.5	112	92	84	4.8	1	vai
	BS 130.2	0	125	112	92	83	5.5	1	vai
	BT 130.2	1	125.5	113.5	95	86	4.7	1	vai
	BS 130.1	0	126	115	96	85	5	1	vai
	BT 130	0	126	112.5	96	86	4.3	1	vai
	BT 128	0	128	124	114	110	6	1	vai
	BS 158	0	143.5	130	114	107	4.8	1	vai
	BT 158	0	143.5	133	116	106	4.8	1	vai
	BT 165.2	1	148.75	140	123	110	4.25	1	vai
	BT 165.3	1	149	138	120	110	3.6	1	vai
	BS 165	0	149.5	139.5	120	112	4.75	1	vai
	BG 164	0	150	140	110.5	101.5	5	1	vai
	BG 165.1 (NEW)	0	150	142	123	115	4.5	1	vai
	BG 165	0	150.5	140	123	112	5.5	1	vai
	BS 160	0	150.7	132.5	117	106	4.8	1	vai
	BT 165	0	151.5	139	118	108	6	1	vai
	BT 165.1	0	152	144	121	111	4.75	1	vai
	BG 155.1 (NEW)	0	154.5	139	115	103	6,50	1	vai
	BT 158.1	1	155.5	142	120	108	4.5	1	vai
	BS 170	0	159	146.5	125.5	112.5	5	1	vai
	BS 170.2	0	159.5	146.5	123.5	103	6	1	vai
	BS 170.3	0	170	160.5	143	130	4.25	1	vai
	BS 170.1	0	171	159	127.5	115.5	7.5	1	vai
	BS 200	0	192	178.5	154.5	143	6.4	1	vai

Foto	Art.	Form	D1	D2	D3	D4	H	Onde	Prodotto
	BS 200.1	0	192	181.5	150	139	6	1	vai
	BT 200	0	193.5	181	154	146	6.2	1	vai
	BT 200.1	2	193.5	183.5	156	146	3.7	2	vai
	BT 208.1	2	193.5	180	157	146	4	2	vai
	BG 208	0	196	179	152.5	140.5	7	1	vai
	BT 208	1	200.5	178	151	138	6.5	1	vai
	BS 203 DYNAUDIO (NEW)	0	203	189	158	143	8	1	vai
	BS 250	0	244.5	227.5	196	184	8.25	1	vai
	BS 248	0	245	226.5	192	178	9	1	vai
	BT 250.2	2	245	225	190	180	4.5	2	vai
	BT 250	0	247	228.5	194	179	8.5	1	vai
	BT 250.1	2	247	229	197	180	4.5	2	vai
	BG 250 (NEW)	0	254	230	202	187	6.5	1	vai
	BS 260 DYNAUDIO (NEW)	0	259	250	211.5	202	9.2	1	vai
	BS 268 (NEW)	0	267.5	252.5	219	208.5	10	1	vai
	BS 276.1	0	275.5	247.5	218	202	7.5	1	vai
	BS 318	0	298	275	242	226	8.5	1	vai
	BT 310	3	298.5	280	240	226	3.3	3	vai
	BT 318	0	299	276.5	242	226	8.5	1	vai
	BT 318.1	2	299	278	244	226	4.2	2	vai
	BT 318.2	3	299	277	239	226	1.8	3	vai
	BG 318 (NEW)	0	301	281	249	230	9	1	vai
	BS 310	0	309.5	300	278	266	5.5	1	vai
	BS 380 TANNOY 385 (NEW)	1	361	335	291.5	274	10	1	vai
	BT 380.1	2	368.5	346	302.5	282	5.7	2	vai

Foto	Art.	Form	D1	D2	D3	D4	H	Onde	Prodotto
	BS 370	0	370	341	308	286	8	1	vai
	BT 380	3	375.5	347	306	288	2	3	vai
	BS 380.1	0	378.5	358	326	313	9	1	vai
	BS 380	0	381	356	328	310	7.5	1	vai
	Art.	Form	D1	D2	D3	D4	H	Onde	